Unit	C Operations and	Ordering Rational	Numbers
Unit	Review Packet		


Name
------

Directions: Do ALL (A) Questions. Check Your Answers to (A) Questions. If ALL (A) Questions are correct, skip (B) Questions and move onto next "I can" statement. If you get any (A) Questions wrong, MAKE CORRECTIONS and do ALL (B) Questions.

"I Can Add, Subtract, Multiply, and Divide Multi-Digit Decimals and Apply each Operation to Solve Real-World Problems."

Aī	: 15.67 + 4.972 + 8						B	1	1	42.5	5+3	.489	)		
									_						
													· · · · · ·		
											:				
	<b>.</b>	13	.05 –	8.47					2/3		3.4	-0.	562		
							-	· <del>-</del>							

<b>A3</b> 8	<b>A3</b> : 18.6 • 0.73			8.6 • 0.73 <b>B3</b> :				1.652 • 8.5				
							-	····				
A4.	8.2	25÷0.6			1346			19.62÷1.2				
											-	




# "I Can Explain How Positive and Negative Numbers Relate to Real-World Examples and the Meaning of o in each."

	filedittia of a thicholit
<b>A</b> 1:	A gain of 56 points in a game.
<b>A</b> 2:	A fee charged of \$2.50.
<b>A</b> 3:	A temperature of 32 degrees below zero.
<b>A</b> 4:	The diver is 30 feet above sea level.
<b>B</b> 1:	A debt of \$40.
<b>B</b> 2:	A deposit of \$225.
<b>B</b> 3:	Alex's body temperature dropped 2 degree.
<b>B</b> 4:	A loss of 13 pounds.
'I C	Inderstand the Relationship of a Number and its Opposite and Can Recognize that the Opposite of a Number's Opposite is the Number itself."
	"I Can Explain how the Absolute Value of a number relates its Distance from o."
<b>A</b> 1:	The opposite of $-4$ <b>A6:</b> For $a=5$ and $b=-3$
<b>A</b> 2:	The opposite of 9 $4a^2- b $
АЗ:	The opposite of  -12
<b>A</b> 4:	-(-10)
<b>A</b> 5:	- 5
<b>B</b> 1:	The opposite of 7 <b>B</b> 6: For $a = -4$ and $b = -2$
<b>B</b> 2:	The opposite of $-15$ $ b +6 \cdot  a $
<b>B</b> 3:	The opposite of  16
<b>B</b> 4:	-20
<b>B</b> 5:	- -8

## "I Can Plot Rational Coordinates in all 4 Quadrants and Explain how the Signs in any Ordered Pair Change in each Quadrant of the Coordinate Graph."


#### **A**1:



Plot and label the points and name the quadrant.

- A. (0, -2.5)
- Quadrant \_\_\_\_\_
- B.  $(1\frac{3}{4}, -0.5)$
- Quadrant \_\_\_\_\_
- c.  $(-2, 2\frac{1}{4})$
- Quadrant \_\_\_\_\_
- D.  $(-1\frac{3}{4}, -\frac{1}{2})$
- Quadrant \_\_\_\_\_
- E. (1.25, 1.25)
- Quadrant \_\_\_\_\_


### **B**1:



Plot and label the points and name the quadrant.

- A. (9, -7)
- Quadrant \_\_\_\_\_
- B.(-5,0)
- Quadrant \_\_\_\_\_
- c. (-6, -8)
- Quadrant \_\_\_\_\_
- D. (-10, 3)
- Quadrant \_\_\_\_\_
- E. (1,9)
- Quadrant \_\_\_\_\_

"I Can Find the Vertical or Horizontal Distance Between two points on the Coordinate Plane."



Find the distance between the two points.

A1: 
$$(-4, -3)$$
 and  $(-4, 8)$  A2:  $(9, -5)$  and  $(9, -10)$  A3:  $(54, 1)$  and  $(-42, 1)$ 

A4: Find the distance between (7, 6) and (7, -1) if each unit represents 12 feet.


\_\_\_\_\_ feet

 ${\bf B}1$ : Plot the points (-5, -2), (-5, 3), (2, 3), and (2, -2) and connect to form a rectangle. If each unit represents 30 centimeters, what is the perimeter of the rectangle?

\_\_\_\_\_ centimeters

## "I Can Explain how Changing the Sign of the Numbers in an Ordered Pair Causes it to Reflect on One or Both Axes."

Fill out the chart below by graphing and reflecting the given point over the indicated axis.



	<b>A</b> 1: (-1, -6)	<b>A</b> 2: (7, -4)	<b>B</b> 1: (-5, 0)	<b>B</b> 2: (8, 3)
Reflect over x-axis				
Reflect over y-axis				
Reflect over <i>x</i> -axis first and then reflect over <i>y</i> -axis				
Reflect over <i>y</i> -axis first and then reflect over <i>x</i> -axis				

### "I Can Convert Fractions to Decimals and Decimals to Fractions."

Convert the following Fractions to Decimals. (3 decimal places if necessary)

**A**1: 
$$\frac{9}{20}$$

**A2**: 
$$\frac{3}{7}$$

A3: 
$$\frac{13}{200}$$

Convert the following Fractions to Decimals. (#decimal places if necessary)

**A4**: 
$$0.8 =$$

Convert the following Fractions to Decimals. (3 decimal places if necessary)

B1: 
$$\frac{11}{25}$$

**B2**: 
$$\frac{1}{12}$$

**B**3: 
$$\frac{135}{250}$$

Convert the following Fractions to Decimals. (#decimal places if necessary)

**B4**: 
$$0.4 =$$
 \_\_\_\_\_

**B**4: 
$$0.4 =$$
 \_\_\_\_\_\_ **B**5:  $0.08 =$  \_\_\_\_\_ **B**6:  $7.125 =$  \_\_\_\_\_

#### "I Can Locate a Rational Number on the Number Line."

"I Can Compare two Rational Numbers on a Number Line and in an Inequality."

"I Can Explain the Meaning of Ordering Rational Numbers in a Real-World Situation."

## **Integers:** > or <

Al:

$$-|27|$$
  $\boxed{\phantom{0}}$   $|27|$   $-10$   $\boxed{\phantom{0}}$   $|-14|$ 

**B**1:


**B**2:

A5: Plot the following on the number line.

$$-|2|$$
 ,  $-|-3|$  ,  $|1|$  ,  $|-2|$ 

A6: Put the following numbers in order from greatest to least.

$$-|26|$$
,  $-28$ ,  $|27|$ ,  $-|30|$ ,  $-(-25)$ 



**B**5: Plot the following on the number line.

**B**6: Put the following numbers in order from greatest to least.

$$|15|$$
,  $-|-15|$ ,  $|-10|$ ,  $-(-13)$ ,  $11$ 

# **Decimals and Fractions:** > or <

**A**1:

$$\frac{3}{8}$$
  $\boxed{\phantom{0}}$   $0.\overline{3}$ 

$$\frac{3}{4}$$
  $\square$   $\frac{7}{6}$ 

**B**1:

**B**2:

$$0.45$$
  $\boxed{\phantom{0}}$ 

$$\frac{5}{6}$$
  $\square$   $\frac{8}{10}$ 

Order the following from least to greatest.

$$\mathbf{B}_{1}$$
: 0.86, 0.8,  $0.\overline{8}$ , 0.809, 0.089

**A2**: 0.35, 
$$\frac{2}{5}$$
, 0.52,  $\frac{1}{4}$ , 0.403


**B2**: 
$$\frac{5}{6}$$
,  $\frac{3}{4}$ , 0.55,  $\frac{5}{9}$ , 0.633

**A3**: 
$$-2\frac{1}{3}$$
, 4.85,  $3\frac{1}{2}$ ,  $3.\overline{9}$ ,  $-2\frac{2}{5}$ 

**B**3: 
$$-1.325$$
,  $\frac{1}{8}$ ,  $-1\frac{7}{8}$ , 1.5,  $-2.375$ 

A4: Plot the following rational numbers on the number line.

$$\frac{6}{5}$$
, 5.75,  $-\left|-\frac{4}{9}\right|$ ,  $-5\frac{2}{3}$ ,  $-3.25$ ,  $\left|-4\frac{7}{9}\right|$ ,  $-\left|-0.25\right|$ ,  $-\frac{20}{10}$ 



# Unit C: Operations and Ordering Rational Numbers

"I Can Add, Subtract, Multiply, and Divide Multi-Digit Decimals and Apply each Operation to Solve Real-World Problems."

**A**1: 28.642

Y N **B**1: 145.989

Y N

**A2**: 4.58

N Y

**B2**: 2.838

Y N

**A3**: 13.578

Y N **B**3: 14.042

Y N

**A4**: 13.75

Y N **B**4: 16.35

Y N

**A5**: 42.9 seconds **Y** 

N

**A6**: \$7.79

Y N **A7**: 157 nickels

Y N

"I Can Explain How Positive and Negative Numbers Relate to Real-World Examples and the Meaning of o in each."

**A**1: 56

**A2**: -2.50

**A3**: -32

**A4**: 30

Y

N

**B**1: -40

**B**2: 225

**B**3: -2

**B4**: -13

Y

N

"I Understand the Relationship of a Number and its Opposite and Can Recognize that the Opposite of a Number's Opposite is the Number itself."

"I Can Explain how the Absolute Value of a number relates its Distance from o."

4 **A**1:

**A**2: -9

**A3**: -12

**A**4: 10

**A**5: -5

**A6**: 97

Y N

**B**1: -7

**B**2: 15

**B**3: -16


Y N

**B**4: 20

**B**5: -8

26 **B**6:

#### "I Can Plot Rational Coordinates in all 4 Quadrants and Explain how the Signs in any Ordered Pair Change in each Quadrant of the Coordinate Graph."



# "I Can Find the Vertical or Horizontal Distance Between two points on the Coordinate Plane."

**A1:** 11 units **Y N A2:** 5 units **Y N A3:** 96 units **Y N** 

**A4:** 84 feet **Y N B1:** 720 centimeters **Y N** 

"I Can Explain how Changing the Sign of the Numbers in an Ordered Pair Causes it to Reflect on One or Both Axes."										
<b>A</b> 1: (-1, -6) <b>A</b> 2: (7, -4) <b>B</b> 1: (-5, 0) <b>B</b> 2: (8, 3)										
Reflect over x-axis	(-1, 6)	(7, 4)	(-5, 0)	(8, -3)						
Reflect over y-axis	(1, -6)	(-7, -4)	(5, 0)	(-8, 3)						
Reflect over <i>x</i> -axis first and then reflect over <i>y</i> -axis	(1, 6)	(-7, 4)	(5, 0)	(-8, -3)						
Reflect over <i>y</i> -axis first and then reflect over <i>x</i> -axis	(1, 6)	(-7, 4)	(5, 0)	(-8, -3)						

YNYNYNYN

#### "I Can Convert Fractions to Decimals and Decimals to Fractions."

**A**1: 0.45

Y N **A2**: 0.428

Y N **A3**: 0.065

Y N

**A4**:  $\frac{4}{5}$  **Y N A5**:  $\frac{4}{25}$  **Y N A6**:  $3\frac{1}{4}$  **Y** 

N

**B**1: 0.44 **Y** 

**N B**2: 0.083 **Y N** 

**B**3: 0.54 **Y** 

N

**B4**:  $\frac{2}{5}$  **Y N B5**:  $\frac{2}{25}$  **Y N B6**:  $7\frac{1}{8}$  **Y** 

N

"I Can Locate a Rational Number on the Number Line."

"I Can Compare two Rational Numbers on a Number Line and in an Inequality." "I Can Explain the Meaning of Ordering Rational Numbers in a Real-World Situation."

 $\mathbf{A}_{1:} > \mathbf{Y}$ 


N

 $_{\mathbf{A}2:}$  <  $_{\mathbf{Y}}$ 

N A3:

Y N


 $\mathbf{B}_{1:}$  <  $\mathbf{Y}$  N  $\mathbf{B}_{2:}$  <  $\mathbf{Y}$  N  $\mathbf{B}_{3:}$  >  $\mathbf{Y}$ 



Y N

**A6**: |27|, -(-25), -|26|, -28, -|30|

N



Y N

**B**6: |15|, -(-13), 11, |-10|, -|-15|

Y N

 $A_{1:} > Y N A_{2:} > Y N A_{3:} < Y$ 

 $_{\mathbf{B}1:}$  >  $\mathbf{y}$ N  $_{\mathbf{B}2:}$  >  $\mathbf{y}$   $\mathbf{n}$ 

**B**3: >

N

**A**1: 5.304, 5.333, 5.34, 5.349, 5.43

Y N

 $\mathbf{B}_{1}$ : 0.089, 0.8, 0.809, 0.86, 0.8

Y N

**A2**:  $\frac{1}{4}$ , 0.35,  $\frac{2}{5}$ , 0.403, 0.52

Y N

**B2**: 0.55,  $\frac{5}{9}$ , 0.633,  $\frac{3}{4}$ ,  $\frac{5}{6}$ 

Y N

**A3**:  $-2\frac{2}{5}$ ,  $-2\frac{1}{3}$ ,  $3\frac{1}{2}$ ,  $3.\overline{9}$ , 4.85

Y N

**B**3: -2.375,  $-1\frac{7}{8}$ , -1.325,  $\frac{1}{8}$ , 1.5

Y N

**A**4:

Y N

